

bSI UML Model Report - Part 3

UML Model Report for Ports & Waterways Elements

Project/Publisher: IFC Infrastructure for Ports & Waterways (IPW)
Common Schema / IFC Infra Program Office

Work Package: IPW - WP3 – Schema Extension Development
Common Schema - WP2 – Harmonization & Development

Date: 20/04/2020

Version: **V07** – FINAL, PUBLISHED

Document Information

Document ID	Title	Created By	Created
IR-CS-WP2	bSI UML Model Report - Part 3	CU/AB	2019-11-22

Revision History

Version	Status	Date	Notes
V01	DRAFT	2019-11-22	First draft
V02	DRAFT	2019-11-28	Textual additions such as introduction & methods
V03	DRAFT	2019-11-12	Zurich harmonization updates
V04	DRAFT	2020-01-13	Further harmonization updates and formatting moved to part of unified document.
V05	DRAFT	2020-01-21	model and grammar updates
V06	FINAL	2020-02-04	Submission to SCE for candidate standard
V07	PUBLISHED	2020-04-20	Corrections for publication as candidate standard

Author List

IFC Common Schema

Jim Plume	BuildingSMART Australasia	Matthias Weise	AEC3
Jon Mirtschin	GeometryGym		

IFC Ports & Waterways

Prof. Haijiang Li	Cardiff University	Song Liu	CCCC
Alex Bradley	Cardiff University	Honglei Qin	CCCC
Nicholas Nisbet;	AEC3 UK	Xi Wen	CCCC
Mike Ramsay	Royal Haskoning DHV	Veronica Ruby-Lewis	Waldeck Consulting
Daniel Peel	Royal Haskoning DHV	Kyle Moss;	Waldeck Consulting
Maik Weidt	WSV Germany	Michael Kluge	Planen Bauen 4.0
Julia Wissel	WSV Germany		

IFC Rail

Evandro Alfieri	Engisis	Chi Zhang	Applitec
Claude Marschal	R+P AG	Florian Hulin	SNCP Réseau
Matthiew Perin	Railenium	Thomas Liebich	AEC3
Sebastian Esser	TUM		

IFC Road

Hyouonseok Moon	KICT	Karin Anderson	Swedish Transport Agency
André Borrmann	TUM	Juha Hyvärinen	
Štefan Jaud	TUM	Lars Wikström	Triona
Sergej Muhič	Siemens & AEC3	Johnny Jensen	Trimble
Antonio Marquez	Apogea	Joaquim Moya	Apogea
Jaeyoung Shin	KICT	FeiFei Zhao	CRBIM
Jisun Won	KICT		

1 Package: IFC Ports and Waterways

The IFC for Ports & Waterways (IPW) conceptual model contains many concepts covering various topics within the ports & waterways domain. This work is subdivided into manageable packages based on the taxonomy of the IFC. Each package may have dependencies to other packages within the ports & waterways domain model and external sources such as common schema & other concurrent BuildingSMART projects to import and realise all necessary elements required in that topic area. In addition, all packages have a dependency on the IFC baseline schema which represents the IFC model at its latest candidate release state of IFC 4.2. This is because all new concepts within the model derive from existing IFC concepts within IFC 4.2.

For IFC Ports & Waterways, we have defined a package structure according to FIGURE XX, below. This document follows the structure of these packages. Each package is fully described, and each concept enumerated with descriptions, relationships and property/quantity set assignments. In addition, document annexes elaborate imported packages that are not within the scope of this project and the ports & waterways domain.




Figure 1: IFC Ports and waterways - Top level package and import structure for IFC for Ports and Waterways.

1.1 Package: Physical Elements

This package contains concepts that represent physical elements that make up constructed facilities within the ports and waterways domain. These elements are positioned and/or contained within the logical spatial structure of the project (refer to spatial elements). These elements typically have geometric shape, location, made of materials and other physical properties.




Figure 2: Physical Elements - Overview of package structure

1.1.1 Package: Built Elements

This package addresses the modelling of ports and waterways domain elements that derive from [IfcBuiltElement](#) or [IfcBuiltElementType](#). These comprise all elements that are primarily part of the construction of a built facility. Built elements are all physically existent and tangible things. Typical examples include walls, doors, beams or slabs.




Figure 3: Built Elements - Overview of package structure.

1.1.1.1.1 Class: IfcBuiltElement

The **built** element comprises all elements that are primarily part of the construction of a built facility, i.e., its structural and space separating system. **Built** elements are all physically existent and tangible things

> NOTE Definition from ISO 6707-1: Major functional part of a building, examples are foundation, floor, roof, wall.

This **IfcBuiltElement** is a generalization of all elements that participate in a building system. Typical examples of **IfcBuiltElement**'s are (among others):

- **built** elements within a space separation systems
- **built** elements within an enclosure system (such as a facade)
- **built** elements within a fenestration system
- **built** elements within a load bearing system
- **built** elements within a foundation system

> EXAMPLE **built** elements are walls, curtain wall, doors, columns, pile, and others.

REMOVE{ The `_IfcBuiltElement_` is an abstract entity that cannot be instantiated. For arbitrary building elements, that cannot be expressed by a subtype of `_IfcBuiltElement_`, use `_IfcBuiltElementProxy_`.}

The `IfcBuiltElement` can be instantiated in the case when arbitrary built elements cannot be expressed by a subtype of `IfcBuiltElement`.

[bSI Documentation](#)

Status: **ProposedModification**

Package: **IfcProductExtension**

Class Properties			
Status	ProposedModification	Is Abstract	
Property sets	Pset_BuiltElementCommon		

Inheritance Statement			
Subtype Of	IfcElement		
Subtypes	EXISTING		PROPOSED
	IfcWindow	IfcMember	IfcNavigationElement
	IfcStairFlight	IfcCurtainWall	IfcMooringDevice
	IfcWall	IfcFooting	IfcEarthworksElement
	IfcStair	IfcDeepFoundation	IfcRail
	IfcSlab	IfcColumn	IfcCourse
	IfcShadingDevice	IfcChimney	IfcKerb
	IfcRampFlight	IfcCovering	IfcTrackElement
	IfcRoof	IfcBearing	IfcPavement
	IfcRamp	IfcBeam	
	IfcPlate		

1.1.1.1.2 Class: `IfcBuiltElementType`

The `IfcBuiltElementType` provides the type information for `IfcBuiltElement` occurrences.

> NOTE The product representations are defined as representation maps (at the level of the supertype [IfcTypeProduct](#) , which gets assigned by an element occurrence instance through the `_IfcShapeRepresentation.Item[1]` being an `_IfcMappedItem`.

A **built** element type is used to define the common properties of a certain type of **built** element that are applied to all occurrences of that type. It is used to define a **built** element specification (i.e. the specific product information, that is common to all occurrences of that product type). **Built** element types (or the instantiable subtypes) may be exchanged without being already assigned to occurrences.

REMOVE{ The `IfcBuildingElementType` is an abstract type that cannot be instantiated. For arbitrary building element types, that cannot be expressed by a subtype of `IfcBuildingElementType`, use `IfcBuildingElementProxyType`.**}**

The `IfcBuiltElementType` can be instantiated in the case when arbitrary built element types cannot be expressed by a subtype of `IfcBuiltElementType`.

Occurrences of subtypes of the `IfcBuildingElementType` are represented by instances of the appropriate subtypes of `IfcBuildingElement`.

[bSI Documentation](#)

Status: **ProposedModification**

Package: **IfcProductExtension**

Class Properties			
Status	ProposedModification	Is Abstract	
Property sets			

Inheritance Statement			
Subtype Of	IfcElementType		
Subtypes	EXISTING		PROPOSED
	IfcBeamType	IfcRampFlightType	IfcKerbType
	IfcBearingType	IfcRampType	IfcNavigationElementType
	IfcChimneyType	IfcRoofType	IfcRailType
	IfcColumnType	IfcShadingDeviceType	IfcTrackElementType
	IfcCoveringType	IfcSlabType	IfcMooringDeviceType
	IfcCurtainWallType	IfcStairFlightType	IfcPavementType
	IfcDeepFoundationType	IfcStairType	IfcCourseType
	IfcMemberType	IfcWallType	
	IfcPlateType	IfcWindowType	
	IfcRailingType	IfcFootingType	

1.1.1.2 Package: Mooring Elements

This package addresses the definition of elements and ancillaries related to the mooring of vessels in various scenarios such as against a quayside or on a deep-water single point mooring.




Figure 4: Mooring Elements - new extension to cover mooring elements.

1.1.1.2.1 Class: IfcMooringDevice

A mooring device is an active or passive built element who's primary function is to participate in the mooring of a vessel, this could be in the form of a bollard used as an attachment point for lines or active equipment such as quick release hooks.

Status: **Proposed**

Package: **Mooring Elements**

Class Properties			
Status	Proposed	Is Abstract	
Property sets			

Inheritance Statement		
Subtype Of	IfcBuiltElement	
Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multipl	Definition
PredefinedType	IfcMooringDeviceTypeEnum	[0..1]	<p>Identifies the predefined type of a mooring device from which the type modelled, may be set. This type may associate additional specific property sets.</p> <p>NOTE The PredefinedType shall only be used, if no IfcMooringDeviceType is assigned, providing its own IfcMooringDeviceType.PredefinedType.</p>

1.1.1.2.2 Class: IfcMooringDeviceType

The [IfcMooringDeviceType](#) provides the type information for [IfcMooringDevice](#) occurrences.

A mooring device is an active or passive built element who's primary function is to participate in the mooring of a vessel, this could be in the form of a bollard used as an attachment point for lines or active equipment such as quick release hooks.

Status: **Proposed**

Package: **Mooring Elements**

Class Properties			
Status	Proposed	Is Abstract	
Property sets			

Inheritance Statement		
Subtype Of	IfcBuiltElementType	
Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multipl	Definition
PredefinedType	IfcMooringDeviceTypeEnum		Identifies the predefined type of a mooring device from which the type modelled, may be set.

1.1.1.2.3 PDT Container: IfcMooringDeviceTypeEnum

This container defines the different predefined types of mooring elements that can further specify an [IfcMooringDevice](#) or [IfcMooringDeviceType](#).

Status: **Proposed**

Package: **Mooring Elements**

Container Properties			
Parent Entity	IfcMooringDeviceType	Stereotype	«PTContainer»
	IfcMooringDevice		
Contains	EXISTING	PROPOSED	
		IfcMooringDeviceTypeEnum.MAGNETICDEVICE IfcMooringDeviceTypeEnum.LINETENSIONER IfcMooringDeviceTypeEnum.BOLLARD IfcMooringDeviceTypeEnum.MOORINGHOOKS IfcMooringDeviceTypeEnum.VACUUMDEVICE	

1.1.1.2.4 Predefined Type: BOLLARD

Full Identifier: **IfcMooringDeviceTypeEnum.BOLLARD**

a short, thick post on the deck of a ship or a quay side, to which ship's rope may be secured. not to be confused with traffic bollards.

Status: **Proposed**

Package: **Mooring Elements**

Predefined Type Properties			
Predefined Type Container	IfcMooringDeviceTypeEnum	Parent Entity	IfcMooringDeviceType
Stereotype	«PredefinedType»		IfcMooringDevice
Property sets			

1.1.1.2.5 Predefined Type: LINETENSIONER

Full Identifier: **IfcMooringDeviceTypeEnum.LINETENSIONER**

A mechanical device used to apply a tensioning load to mooring lines to improve vessel stability for port operations.

Status: **Proposed**

Predefined Type Properties			
Predefined Type Container	IfcMooringDeviceTypeEnum	Parent Entity	IfcMooringDeviceType
Stereotype	«PredefinedType»		IfcMooringDevice
Property sets			

1.1.1.2.6 Predefined Type: MAGNETICDEVICE

Full Identifier: **IfcMooringDeviceTypeEnum.MAGNETICDEVICE**

A Mooring devices that uses magnets as the primary method of securing the vessel.

Status: **Proposed**

Package: **Mooring Elements**

Predefined Type Properties			
Predefined Type Container	IfcMooringDeviceTypeEnum	Parent Entity	IfcMooringDeviceType
Stereotype	«PredefinedType»		IfcMooringDevice
Property sets			

1.1.1.2.7 Predefined Type: MOORINGHOOKS

Full Identifier: **IfcMooringDeviceTypeEnum.MOORINGHOOKS**

Quick release mooring hooks - an active device used to secure a vessel and provide automated release of vessels.

Status: **Proposed**

Package: **Mooring Elements**

Predefined Type Properties			
Predefined Type Container	IfcMooringDeviceTypeEnum	Parent Entity	IfcMooringDeviceType
Stereotype	«PredefinedType»		IfcMooringDevice
Property sets			

1.1.1.2.8 Predefined Type: VACUUMDEVICE

Full Identifier: **IfcMooringDeviceTypeEnum.VACUUMDEVICE**

A mooring devices that uses vacuum suction as the primary method of securing the vessel.

Status: **Proposed**

Package: **Mooring Elements**

Predefined Type Properties			
Predefined Type Container	IfcMooringDeviceTypeEnum	Parent Entity	IfcMooringDeviceType
Stereotype	«PredefinedType»		IfcMooringDevice
Property sets			

1.1.1.3 Package: Navigation Elements

This package addresses the definition of elements and ancillaries related to the navigation of vessels in various scenarios such around ports and terminals or navigation down managed channels or canals. these elements are usually grouped together into a navigational system.




Figure 5: Navigational Elements - new extension to cover navigational elements.

1.1.1.3.1 Class: IfcNavigationElement

A navigation element is an active or passive built element who's primary function is provide navigational instructions and warnings to vessels, this could be in the form of a floating buoy, a fixed beacon.

Navigation elements can aggregate other components and elements to form the entire structure. this might include frame structure to form the body, instances of [IfcSign](#) for signage or instances of [IfcSignal](#) for supplementary lights an/or sound signals.

Status: Proposed

Package: Navigation Elements

Class Properties			
Status	Proposed	Is Abstract	
Property sets			

Inheritance Statement		
Subtype Of	IfcBuiltElement	
Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multiplicity	Definition
PredefinedType	IfcNavigationElement TypeEnum	[0..1]	Identifies the predefined type of a navigational element from which the type modelled, may be set. This type may associate additional specific property sets. NOTE The PredefinedType shall only be used, if no IfcNavigationElementType is assigned, providing its own IfcNavigationElementType.PredefinedType.

1.1.1.3.2 Class: IfcNavigationElementType

The [IfcNavigationElementType](#) provides the type information for [IfcNavigationElement](#) occurrences.

A navigation element is an active or passive built element who's primary function is provide navigational instructions and warnings to vessels, this could be in the form of a floating buoy, a fixed beacon or sound signal.

Status: Proposed

Package: Navigation Elements

Class Properties			
Status	Proposed	Is Abstract	
Property sets			

Inheritance Statement		
Subtype Of	IfcBuiltElementType	
Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multiplicity	Definition
PredefinedType	IfcNavigationElementTypeEnum		Identifies the predefined type of a navigational element from which the type modelled, may be set.

1.1.1.3.3 PDT Container: IfcNavigationElementTypeEnum

This container defines the different predefined types of navigation elements that can further specify an [IfcNavigationElement](#) or [IfcNavigationElementType](#).

Status: **Proposed**

Package: **Navigation Elements**

Container Properties			
Parent Entity	IfcNavigationElementType	Stereotype	«PTContainer»
	IfcNavigationElement		
Contains	EXISTING	PROPOSED	
		IfcNavigationElementTypeEnum.BEACON IfcNavigationElementTypeEnum.BUOY	

1.1.1.3.4 Predefined Type: BEACON

Full Identifier: **IfcNavigationElementTypeEnum.BEACON**

a fixed vertical structure serving as a navigation mark, to show reefs or other hazards, or provide navigational directions.

Status: **Proposed**

Package: **Navigation Elements**

Predefined Type Properties			
Predefined Type Container	IfcNavigationElementTypeEnum	Parent Entity	IfcNavigationElementType
Stereotype	«PredefinedType»		IfcNavigationElement
Property sets			

1.1.1.3.5 Predefined Type: BUOY

Full Identifier: **IfcNavigationElementTypeEnum.BUOY**

an anchored floating structure serving as a navigation mark, to show reefs or other hazards, or provide navigational directions.

Status: **Proposed**

Package: **Navigation Elements**

Predefined Type Properties			
Predefined Type Container	IfcNavigationElementTypeEnum	Parent Entity	IfcNavigationElementType
Stereotype	«PredefinedType»		IfcNavigationElement
Property sets			

1.1.1.4 Package: Vertical Elements

This package addresses the definition of elements and ancillaries related to vertical movement of users around a ports and waterways facility.




Figure 6: Vertical Elements - Modifications and extensions to vertical elements

1.1.1.4.1 Predefined Type: LADDER

Full Identifier: **IfcStairTypeEnum.LADDER**

a piece of equipment consisting of a series of bars or steps between two upright elements used for climbing up or down something

Status: **Proposed**

Package: **Vertical Elements**

Predefined Type Properties			
Predefined Type Container	IfcStairTypeEnum	Parent Entity	IfcStair
Stereotype	«PredefinedType»		IfcStairType
Property sets			

1.1.2 Package: Assemblies

This package addresses the conceptual elements that represent assemblies within the ports & waterways domain. Assemblies are aggregations of other elements and components to form a larger manufactured unit that can be built on site or prefabricated off-site.




Figure 7: Element Assemblies - Modifications and extensions to element assemblies.

1.1.2.1 Class: IfcElementAssembly

The [IfcElementAssembly](#) represents complex element assemblies aggregated from several elements, such as discrete elements, building elements, or other elements.

> EXAMPLE Steel construction assemblies, such as trusses and different kinds of frames, can be represented by the [IfcElementAssembly](#) entity. Other examples include slab fields aggregated from a number of precast concrete slabs or reinforcement units made from several reinforcement bars. Also bathroom units, staircase sections and other premanufactured or precast elements are examples of the general [IfcElementAssembly](#) entity

> NOTE The [IfcElementAssembly](#) is a general purpose entity that is required to be decomposed. Also other subtypes of IfcElement can be decomposed. **REMOVE** {with some dedicated entities such as IfcWallElementedCase and IfcSlabElementedCase.}

The assembly structure can be nested, i.e. an [IfcElementAssembly](#) could be an aggregated part within another [IfcElementAssembly](#).

> NOTE View definitions and/or implementer agreements may restrict the number of allowed levels of nesting.

The geometry of an [IfcElementAssembly](#) is generally formed from its components, in which case it does not need to have an explicit geometric representation. In some cases it may be useful to also expose an own explicit representation of the aggregate.

> NOTE View definitions or implementer agreements may further constrain the applicability of certain shape representations at the [IfcElementAssembly](#) in respect of the shape representations of its parts.

> HISTORY New entity in IFC2x2.

Informal Propositions:

1. The [IfcElementAssembly](#) shall have an aggregation relationship to the contained parts, i.e. the (INV) IsDecomposedBy relationship shall be utilized.

[bSI Documentation](#)

Status: ProposedModification

Package: IfcProductExtension

Class Properties			
Status	ProposedModification	Is Abstract	
Property sets			
Inheritance Statement			
Subtype Of	IfcElement		
Subtypes	EXISTING		PROPOSED

Class Attributes

Name	Type	Multipl	Definition
AssemblyPlace	IfcAssemblyPlaceEnum	[0..1]	A designation of where the assembly is intended to take place defined by an Enum.
PredefinedType	IfcElementAssemblyTypeEnum	[0..1]	

1.1.2.2 Predefined Type: ENTRANCEWORKS

Full Identifier: **IfcElementAssemblyTypeEnum.ENTRANCEWORKS**

An assembly forming the support structure of a chamber (lock, dock) gate and associated elements, plus the containment of operational equipment.

Status: **Proposed**

Package: **Assemblies**

Predefined Type Properties			
Predefined Type Container	IfcElementAssemblyTypeEnum	Parent Entity	IfcElementAssemblyType
Stereotype	«PredefinedType»		IfcElementAssembly
Property sets			

1.1.3 Package: Components

The components package addresses the modelling of minor items included in, added to or connecting to or between elements, which usually are not of interest from the overall building structure viewpoint. However, these small parts may have vital and load carrying functions within the construction. These items do not provide any actual space boundaries. Typical examples of components include different kinds of fasteners and various accessories.

1.1.3.1 Package: Element Parts

The building element parts package addresses the modelling of major components as subordinate parts of a building element.




Figure 8: Building Element Parts - Modifications and extensions to building element parts

1.1.3.1.1 Predefined Type: ARMOURUNIT

Full Identifier: `IfcBuildingElementPartTypeEnum.ARMOURUNIT`

A large quarry stone or concrete shaped unit used as erosion prevention on slopes such as revetments and breakwaters. these units are grouped together into a [Course](#) layer.

NOTE definition in ISO 21650: relatively large quarry stone or concrete shaped unit that is selected to fit specified geometric characteristics and density.

Status: Proposed

Package: Element Parts

Predefined Type Properties			
Predefined Type Container	IfcBuildingElementPartTypeEnum	Parent Entity	IfcBuildingElementPartType
Stereotype	«PredefinedType»	Entity	IfcBuildingElementPart

1.1.3.1.2 Predefined Type: SAFETYCAGE

Full Identifier: **IfcBuildingElementPartTypeEnum.SAFETYCAGE**

Safety cages are an assembly of circular and vertical bars that are fastened to the stiles of fixed ladders and are arranged to enclose the path of a worker when climbing the ladder. Ladders so enclosed are also known as caged or hooped ladders.

Status: **Proposed**

Package: **Element Parts**

Predefined Type Properties			
Predefined Type Container	IfcBuildingElementPartTypeEnum	Parent	IfcBuildingElementPartType
Stereotype	«PredefinedType»	Entity	IfcBuildingElementPart
Property sets			

1.1.3.2 Package: Impact Protection Devices

This package addresses the components that represent impact protection devices in the ports and waterways domain. An impact protection device functions to protect built elements from the effects of impact and vibration. this new element merges the previous elements of vibration damper and vibration isolator and adds further impact specific devices.




Figure 9: Impact Devices - Modifications and extensions to impact protection devices.

1.1.3.2.1 Class: IfcImpactProtectionDevice

An impact protection device is a component used to protect other built elements from kinetic damage. impact protection devices currently come in 3 different varieties:

- A vibration damper used to minimize the effects of vibration in a structure by dissipating kinetic energy. The damper may be passive (elastic, frictional, inertia) or active (in a system using sensors and actuators).
- A vibration isolator is a device used to minimize the effects of vibration transmissibility in a structure.
- Impact devices that dissipate kinetic energy from impacting elements (such as vehicles) by deformation or elastic mechanics.

Status: **Proposed**

Package: **Impact Devices**

Class Properties			
Status	Proposed	Is Abstract	
Property sets			

Inheritance Statement		
Subtype Of	IfcElementComponent	
Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multipl	Definition
PredefinedType	IfcImpactProtectionDevice TypeSelect	[0..1]	Identifies the predefined type of a impact device from which the type modelled, may be set. This type may associate additional specific property sets. NOTE The PredefinedType shall only be used, if no IfcImpactProtectionDeviceType is assigned, providing its own IfcImpactProtectionDeviceType .PredefinedType.

1.1.3.2.2 Class: IfcImpactProtectionDeviceType

The [IfcImpactProtectionDeviceType](#) provides the type information for [IfcImpactProtectionDevice](#) occurrences.

An impact protection device is a component used to protect other built elements from kinetic damage.

Status: **Proposed**

Package: **Impact Devices**

Class Properties			
Status	Proposed	Is Abstract	
Property sets			

Inheritance Statement	
Subtype Of	IfcElementComponentType

Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multipl	Definition
PredefinedType	IfcImpactProtectionDevice TypeSelect		Identifies the predefined type of a impact device from which the type modelled, may be set.

1.1.3.2.3 PDT Container: IfcImpactProtectionDeviceTypeEnum

This container defines the different predefined types of kinetic impact protectors that can specify an [IfcImpactProtectionDevice](#) or [IfcImpactProtectionDeviceType](#).

Status: **Proposed**

Package: **Impact Devices**

Container Properties			
Parent Entity	IfcImpactProtectionDeviceType	Stereotype	«PTContainer»
	IfcImpactProtectionDevice		
Contains	EXISTING	PROPOSED	
		IfcImpactProtectionDeviceTypeEnum.DAMPINGSYSTEM IfcImpactProtectionDeviceTypeEnum.FENDER IfcImpactProtectionDeviceTypeEnum.CRASHCUSHION IfcImpactProtectionDeviceTypeEnum.BUMPER	

1.1.3.2.4 Select: IfcImpactProtectionDeviceTypeSelect

This is a select of enumerations to provide the option of groups of predefined types for an [IfcImpactProtectionDevice](#) or [IfcImpactProtectionDeviceType](#).

Status: **Proposed**

Package: **Impact Devices**

Select Properties	
Stereotype	«Select»
Substitutions	IfcVibrationIsolatorTypeEnum IfcImpactProtectionDeviceTypeEnum IfcVibrationDamperTypeEnum

1.1.3.2.5 Predefined Type: FENDER

Full Identifier: **IfcImpactProtectionDeviceTypeEnum.FENDER**

A passive or active device formed of a damper and impact panel that is mounted on the quayside to protect against vessel impact.

Status: **Proposed**

Package: **Impact Protection Devices**

Predefined Type Properties			
Predefined Type Container	IfcImpactProtectionDeviceTypeEnum	Parent Entity	IfcImpactProtectionDeviceType
Stereotype	«PredefinedType»		IfcImpactProtectionDevice
Property sets			

1.1.3.3 Package: Mechanical Fasteners

The mechanical fasteners package addresses the definition and modelling of mechanical fasteners such as bolts, nails or wire., that mechanically connect elements or parts together. A single instance of mechanical fastener may represent one or many of actual mechanical fasteners, for example an array of bolts or a row of nails.




Figure 10: Mechanical Fasteners - Modifications and extensions mechanical fasteners.

1.1.3.3.1 Predefined Type: CHAIN

Full Identifier: **IfcMechanicalFastenerTypeEnum.CHAIN**

a series of linked metal rings used for fastening or securing something, or for pulling loads.

Status: **Proposed**

Package: **Mechanical Fasteners**

Predefined Type Properties			
Predefined Type Container	IfcMechanicalFastenerTypeEnum	Parent	IfcMechanicalFastener
Stereotype	«PredefinedType»	Entity	IfcMechanicalFastenerType
Property sets			

1.1.3.3.2 Predefined Type: ROPE

Full Identifier: **IfcMechanicalFastenerTypeEnum.ROPE**

a length of thick strong cord made by twisting together strands of hemp, sisal, nylon, or similar material.
used primarily for mooring vessels

Status: **Proposed**

Package: **Mechanical Fasteners**

Predefined Type Properties			
Predefined Type Container	IfcMechanicalFastenerTypeEnum	Parent	IfcMechanicalFastener
Stereotype	«PredefinedType»	Entity	IfcMechanicalFastenerType
Property sets			

1.1.4 Package: Distribution Elements

This package contains all elements and relationships involved in distribution systems. A distribution system is a network designed to receive, store, maintain, distribute, or control the flow of a distribution media, this media could be liquid bulk, dry bulk or energy.

Objects within this package derive from `IfcDistributionElement` which is a generalization of all elements that participate in a distribution system. The difference between transport and distribution elements is distribution elements are continuous whereas transport elements are discontinuous.

1.1.4.1 Package: Flow Segments

Flow segments define the occurrence of a segment of a flow distribution system. Flow segments are uniform runs or edges (such as pipes, cables or ducts) that carry media between nodes (junctions or chambers). the type of media is further defined by the subtypes of [IfcFlowSegment](#)




Figure 11: Flow Segments - Modifications and extensions to flow segment elements

1.1.4.1.1 Predefined Type: BELTCONVEYOR

Full Identifier: **ConveyorSegmentTypeEnum.BELTCONVEYOR**

An endless belt for carrying material without stretching.

Status: **Proposed**

Package: **Flow Segments**

Predefined Type Properties			
Predefined Type Container	IfcConveyorSegmentTypeEnum	Parent Entity	IfcConveyorSegmentType
Stereotype	«PredefinedType»		IfcConveyorSegment
Property sets			

1.1.4.1.2 Predefined Type: BUCKETCONVEYOR

Full Identifier: **ConveyorSegmentTypeEnum.BUCKETCONVEYOR**

A conveyor in the form of connected buckets or segments that move in a continuous loop

Status: **Proposed**

Package: **Flow Segments**

Predefined Type Properties			
Predefined Type Container	IfcConveyorSegmentTypeEnum	Parent Entity	IfcConveyorSegmentType
Stereotype	«PredefinedType»		IfcConveyorSegment
Property sets			

1.1.4.1.3 Predefined Type: CHUTECONVEYOR

Full Identifier: **ConveyorSegmentTypeEnum.CHUTECONVEYOR**

Gravity-operated conveyor where media descends through a trough or chute.

Status: **Proposed**

Package: **Flow Segments**

Predefined Type Properties			
Predefined Type Container	IfcConveyorSegmentTypeEnum	Parent Entity	IfcConveyorSegmentType
Stereotype	«PredefinedType»		IfcConveyorSegment

1.1.4.1.4 Predefined Type: SCREWCONVEYOR

Full Identifier: **ConveyorSegmentTypeEnum.SCREWCONVEYOR**

composed of a longitudinal screw in a trough or pipe that rotates to force media through the segment

Status: **Proposed**

Package: **Flow Segments**

Predefined Type Properties			
Predefined Type Container	IfcConveyorSegmentTypeEnum	Parent Entity	IfcConveyorSegmentType
Stereotype	«PredefinedType»		IfcConveyorSegment
Property sets			

1.1.4.1.5 Class: IfcConveyorSegment

A conveyor segment defines an occurrence of a flow segment/ continuous run within a conveyor system that joins two sections of the system. these can utilise different carrying methods such as belt, rope, chain, screw

NOTE Definition according to ISO6707-1: machine that continuously transports material or objects along a gentle slope using an endless belt, rope or chain, or rollers.

Status: **Proposed**

Package: **Flow Segments**

Class Properties			
Status	Proposed	Is Abstract	
Property sets			

Inheritance Statement		
Subtype Of	IfcFlowSegment	
Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multipl	Definition
PredefinedType	IfcConveyorSegmentTypeEnum	[0..1]	Identifies the predefined type of a conveyor segment from which the type modelled, may be set. This type may associate additional specific property sets. NOTE The PredefinedType shall only be used, if no IfcConveyorSegmentType is assigned, providing its own IfcConveyorSegmentType.PredefinedType.

1.1.4.1.6 Class: IfcConveyorSegmentType

The [ConveyorSegmentType](#) provides the type information for [ConveyorSegment](#) occurrences.

A conveyor segment defines an occurrence of a flow segment/ continuous run within a conveyor system that joins two sections of the system. these can utilise different carrying methods such as belt, rope, chain, screw etc.

Status: **Proposed**

Package: **Flow Segments**

Class Properties			
Status	Proposed	Is Abstract	
Property sets			
Inheritance Statement			
Subtype Of	IfcFlowSegmentType		
Subtypes	EXISTING		PROPOSED

Class Attributes

Name	Type	Multipl	Definition
PredefinedType	IfcConveyorSegmentTypeEnum		Identifies the predefined type of a conveyor segment from which the type modelled, may be set.

1.1.4.1.7 PDT Container: IfcConveyorSegmentTypeEnum

This container defines the different predefined types of conveyor segments that can further specify an [ConveyorSegment](#) or [ConveyorSegmentType](#).

Status: **Proposed**

Package: **Flow Segments**

Container Properties			
Parent Entity	IfcConveyorSegmentType IfcConveyorSegment	Stereotype	«PTContainer»
Contains	EXISTING	PROPOSED	
		ConveyorSegmentTypeEnum.CHUTECONVEYOR ConveyorSegmentTypeEnum.SCREWCONVEYOR ConveyorSegmentTypeEnum.BUCKETCONVEYOR ConveyorSegmentTypeEnum.BELTCONVEYOR	

1.1.4.2 Package: Flow Terminals

Flow Terminals define the occurrence of a permanently attached element that acts as a terminus or beginning of a distribution system (such as an air outlet, drain, water closet, or sink). A terminal is typically a point at which a system interfaces with an external environment. Its type is defined by [IfcFlowTerminalType](#) or its subtypes.

1.1.4.2.1 Package: Fire Suppression Terminals

This package addresses the extension of the fire suppression terminal concept which has the purpose of delivering a fluid (gas or liquid) that will suppress a fire.




Figure 12: Fire Suppression Terminals - Modifications and extensions to fire suppression terminals

1.1.4.2.1.1 Predefined Type: FIREMONITOR

Full Identifier: **LiquidTerminalTypeEnum.FIREMONITOR**

A device to deliver large volumes of water for fire fighting in high risk locations. May be automated or manually controlled.

Status: **Proposed**

Package: **Fire Suppression Terminals**

Predefined Type Properties			
Predefined Type Container	IfcFireSuppressionTerminalTypeEnum	Parent	IfcFireSuppressionTerminal
Stereotype	«PredefinedType»	Entity	IfcFireSuppressionTerminalType
Property sets			

1.1.4.2.2 Package: Liquid Terminals

This package addresses the proposition of the liquid terminal concept which provides a node where a liquid distribution system interacts with the external environment.




Figure 13: Liquid Terminals - new extensions to flow terminal elements (liquid terminals)

1.1.4.2.2.1 Class: *IfcLiquidTerminal*

A liquid terminal is a terminating or origination point for the transfer of liquid between distribution system(s). this is the point where the liquid distribution system interacts with the external environment. An example of this is a loading arm for the transfer of liquid from a docked vessel.

Status: Proposed

Package: Liquid Terminals

Class Properties			
Status	Proposed	Is Abstract	
Property sets			

Inheritance Statement		
Subtype Of	IfcFlowTerminal	
Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multiplicity	Definition
PredefinedType	IfcLiquidTerminalTypeEnum	[0..1]	Identifies the predefined type of a liquid terminal from which the type modelled, may be set. This type may associate additional specific property sets. NOTE The PredefinedType shall only be used, if no IfcLiquidTerminalType is assigned, providing its own IfcLiquidTerminalType.PredefinedType.

1.1.4.2.2.2 Class: IfcLiquidTerminalType

The [LiquidTerminalType](#) provides the type information for [LiquidTerminal](#) occurrences.

A liquid terminal is a terminating or origination point for the transfer of liquid between distribution system(s). this is the point where the liquid distribution system interacts with the external environment. An example of this is a loading arm for the transfer of liquid from a docked vessel.

Status: **Proposed**

Package: **Liquid Terminals**

Class Properties			
Status	Proposed	Is Abstract	
Property sets			

Inheritance Statement		
Subtype Of	IfcFlowTerminalType	
Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multiplicity	Definition
PredefinedType	IfcLiquidTerminalTypeEnum		Identifies the predefined type of a liquid terminal from which the type modelled, may be set.

1.1.4.2.2.3 PDT Container: *IfcLiquidTerminalTypeEnum*

This container defines the different predefined types of liquid terminals that can further specify an [LiquidTerminal](#) or [LiquidTerminalType](#).

Status: **Proposed**

Package: **Liquid Terminals**

Container Properties			
Parent Entity	IfcLiquidTerminalType IfcLiquidTerminal	Stereotype	«PTContainer»
Contains	EXISTING	PROPOSED	
		LiquidTerminalTypeEnum.HOSEREEL LiquidTerminalTypeEnum.LOADINGARM	

1.1.4.2.2.4 Predefined Type: *HOSEREEL*

Full Identifier: **LiquidTerminalTypeEnum.HOSEREEL**

A Supporting framework on which a hose may be wound whose primary purpose is to connect and interact with the external environment.

Status: **Proposed**

Package: **Liquid Terminals**

Predefined Type Properties			
Predefined Type Container	IfcLiquidTerminalTypeEnum	Parent Entity	IfcLiquidTerminalType
Stereotype	«PredefinedType»		IfcLiquidTerminal
Property sets			

1.1.4.2.2.5 Predefined Type: *LOADINGARM*

Full Identifier: **LiquidTerminalTypeEnum.LOADINGARM**

A loading arm permits the transfer of liquid or liquefied gas from one system to another, through the use of an articulated arm that accounts for the movement of docked vessels.

Status: **Proposed**

Package: **Liquid Terminals**

Predefined Type Properties			
Predefined Type Container	IfcLiquidTerminalTypeEnum	Parent Entity	IfcLiquidTerminalType
Stereotype	«PredefinedType»		IfcLiquidTerminal
Property sets			

1.2 Package: Spatial Elements

This package addresses the spatial elements and relationships that might be used to define a hierarchical project structure, in terms of locations and volumes. In addition, this package addresses the definition of non-hierarchical elements such as spatial zones. The spatial structure is key to the organization of physical elements and also can act as an implicit placement structure within non-longitudinal structures. For more information please see the Spatial breakdown explanation in the previous section.




Figure 14: Spatial Elements - Overview of package structure




Figure 15: Spatial Elements - Inheritance for generic spatial structure elements

1.2.1 Class: IfcSpatialStructureElement

A spatial structure element is the generalization of all spatial elements that might be used to define a spatial structure. That spatial structure is often used to provide a project structure to organize a building project.

A spatial project structure might define as many levels of decomposition as necessary for the building project. Elements within the spatial project structure are:

- site as [IfcSite](#)
- facility as `_IfcFacility_`, or **any of its specific subtypes**. **REMOVE** {specifically building as `IfcBuilding` bridge as `IfcBridge` }
- facility part as [IfcFacilityPart](#), **REMOVE** { or specifically storey as `IfcBuildingStorey` bridge part as `IfcBridgePart` }
- space as [IfcSpace](#)

or aggregations or parts thereof. The composition type declares an element to be either an element itself, or an aggregation (complex) or a decomposition (part). The interpretation of these types is given at each subtype of [IfcSpatialStructureElement](#).

The [IfcRelAggregates](#) is defined as an 1-to-many relationship and used to establish the relationship between exactly two levels within the spatial project structure. Finally the highest level of the spatial structure is assigned to [IfcProject](#) using the [IfcRelAggregates](#).

The subtypes of [IfcSpatialStructureElement](#) relate to other elements and systems by establishing the following relationships:

- **Containment of elements:** [IfcRelContainedInSpatialStructure](#) by inverse attribute `_ContainsElements_`, used to assign any element, like building elements, MEP elements, etc. to the spatial structure element in which they are primarily contained.
- **Reference of elements:** [IfcRelReferencedInSpatialStructure](#) by inverse attribute `ReferencesElements`, used to reference any element, like building elements, MEP elements, etc. in spatial structure elements, other than the one, where it is contained.
- **Reference of systems:** ~~REMOVE {IfcRelServicesBuildings by inverse attribute `_ServicedBySystems_`, used to reference a system,}~~ [IfcRelReferencedInSpatialStructure](#) by inverse attribute `ReferencesElements`, used to reference a system, like a building service or electrical distribution system, a zonal system, or a structural analysis system, that is assigned to this spatial structure element.

The subtypes of [IfcSpatialStructureElement](#) relate to each other by using the [IfcRelAggregates](#) relationship to build the project spatial structure. Figure 1 shows the use of [IfcRelAggregates](#) to establish a spatial structure including site, building, building section and storey. More information is provided at the level of the subtypes.




Figure — Spatial structure element composition

Informal Propositions:

1. The spatial project structure, established by the `_IfcRelAggregates_`, shall be acyclic.
2. A site should not be (directly or indirectly) associated to a building, storey or space.
3. A building should not be (directly or indirectly) associated to a storey or space.
4. A storey should not be (directly or indirectly) associated to a space.

Class Properties			
Status	ProposedModification	Is Abstract	Abstract
Property sets			

Inheritance Statement		
Subtype Of	IfcSpatialElement	
Subtypes	EXISTING	PROPOSED
	IfcSite IfcSpace	

Class Attributes

Name	Type	Multiplicity	Definition
CompositionType	IfcElementCompositionEnum	[0..1]	Denotes, whether the predefined spatial structure element represents itself, or an aggregate (complex) or a part (part). The interpretation is given separately for each subtype of spatial structure element. If no <code>_CompositionType_</code> is asserted, the default value "ELEMENT" applies

1.2.2 Class: IfcFacility

A Facility (derived from SpatialStructureElement) may be an IfcBuilding, an IfcBridge, an IfcRailway, an IfcRoad, an IfcMarineFacility (or any other type of built facility defined in the future, such as REMOVE{IfcRoad, IfcRailway and} IfcTunnel).

Class Properties			
Status	ProposedModification	Is Abstract	
Property sets			

Inheritance Statement		
Subtype Of	IfcSpatialStructureElement	
Subtypes	EXISTING	PROPOSED
	IfcBridge	IfcRailway
		IfcMarineFacility
		IfcRoad

1.2.3 Class: IfcFacilityPart

IfcFacilityPart provides for spatial breakdown of built facilities. It may be further specialised according to the type of facility being broken down.

[bSI Documentation](#)

Status: **ProposedModification**

Package: **IfcProductExtension**

Class Properties			
Status	ProposedModification	Is Abstract	
Property sets			

Inheritance Statement		
Subtype Of	IfcSpatialStructureElement	
Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multiplicity	Definition
PredefinedType	IfcFacilityPartTypeSelect		
UsageType	IfcFacilityUsageEnum		

1.2.4 Class: IfcMarineFacility

A marine facility represents any major structure or entity that is specific to the ports and waterways domain. examples of this include quays, jetties, shipyards, breakwaters etc.

Status: **Proposed**

Package: **Facilities**

Class Properties			
Status	Proposed	Is Abstract	
Property sets			

Inheritance Statement			
Subtype Of	IfcFacility		
Subtypes	EXISTING	PROPOSED	

Class Attributes

Name	Type	Multiplicity	Definition
PredefinedType	MarineFacilityTypeEnum		

1.2.5 Package: Facility Parts

Facility parts represent the further sub-division of facilities in managed and location base parts or volumes. each of these parts also have a middle level functional requirement in relation to their parent facility.




Figure 16: Facility Parts - Inheritance structure & subtyping

1.2.5.1 Predefined Type: TERMINAL

Full Identifier: IfcFacilityPartCommonTypeEnum.TERMINAL

A longitudinal facility part that represents a termination segment of a longitudinal facility such as the end of a breakwater, road or rail section.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcFacilityPartCommonTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.2 Select: *IfcFacilityPartTypeSelect*

This is a select of enumerations to provide the option of groups of predefined types for an [IfcFacilityPart](#).

Status: **Proposed**

Package: **Facility Parts**

Select Properties	
Stereotype	«Select»
Substitutions	IfcFacilityPartCommonTypeEnum IfcMarinePartTypeEnum IfcRailwayPartTypeEnum IfcBridgePartTypeEnum IfcRoadPartTypeEnum

1.2.5.3 PDT Container: *IfcFacilityPartCommonTypeEnum*

Status: **Proposed**

Package: **Facility Parts**

Container Properties			
Parent Entity	IfcFacilityPart	Stereotype	«PTContainer»
Contains	EXISTING	PROPOSED	
	IfcBridgePartTypeEnum.SUBSTRUCTURE IfcBridgePartTypeEnum.SUPERSTRUCTURE	IfcFacilityPartCommonTypeEnum.LEVELCROSSING IfcFacilityPartCommonTypeEnum.ABOVEGROUND IfcFacilityPartCommonTypeEnum.TERMINAL IfcFacilityPartCommonTypeEnum.SUPERSTRUCTURE IfcFacilityPartCommonTypeEnum.SUBSTRUCTURE IfcFacilityPartCommonTypeEnum.SEGMENT IfcFacilityPartCommonTypeEnum.JUNCTION IfcFacilityPartCommonTypeEnum.BELOWGROUND	

1.2.5.4 PDT Container: *IfcMarinePartTypeEnum*

The predefined type container that collects all possible marine facility part types together into the implemented enumeration.

Status: **Proposed**

Package: **Facility Parts**

Container Properties			
Parent Entity	IfcFacilityPart	Stereotype	«PTContainer»
Contains	PROPOSED		
	IfcMarinePartTypeEnum.COPELEVEL	IfcMarinePartTypeEnum.STORAGE	
	IfcMarinePartTypeEnum.ANCHORAGE	IfcMarinePartTypeEnum.SHIPTRANSFER	
	IfcMarinePartTypeEnum.VEHICLESERVICING	IfcMarinePartTypeEnum.GATEHEAD	
	IfcMarinePartTypeEnum.WATERFIELD	IfcMarinePartTypeEnum.GUDINGSTRUCTURE	
	IfcMarinePartTypeEnum.APPROACHCHANNEL	IfcMarinePartTypeEnum.BELOWWATERLINE	
	IfcMarinePartTypeEnum.CREST	IfcMarinePartTypeEnum.WEATHERSIDE	
	IfcMarinePartTypeEnum.MANUFACTURING	IfcMarinePartTypeEnum.LANDFIELD	
	IfcMarinePartTypeEnum.LOWWATERLINE	IfcMarinePartTypeEnum.PROTECTION	
	IfcMarinePartTypeEnum.CORE	IfcMarinePartTypeEnum.LEEWARDSIDE	
	IfcMarinePartTypeEnum.CILL_LEVEL	IfcMarinePartTypeEnum.ABOVEWATERLINE	
	IfcMarinePartTypeEnum.BERTHINGSTRUCTURE	IfcMarinePartTypeEnum.NAVIGATIONALAREA	
	IfcMarinePartTypeEnum.CHAMBER	IfcMarinePartTypeEnum.HIGHWATERLINE	

1.2.5.5 Predefined Type: *ABOVEGROUND*

Full Identifier: **IfcFacilityPartCommonTypeEnum.ABOVEGROUND**

A vertical facility part for elements belonging to the space above the finished ground.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcFacilityPartCommonTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.6 Predefined Type: BELOWGROUND

Full Identifier: **IfcFacilityPartCommonTypeEnum.BELOWGROUND**

A vertical facility part for the containment of elements below the finished ground. This may include for example earthworks elements and elements in a pavement structure.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcFacilityPartCommonTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.7 Predefined Type: JUNCTION

Full Identifier: **IfcFacilityPartCommonTypeEnum.JUNCTION**

A longitudinal facility part providing an at grade junction between two or more segments of longitudinal facilities usually of the same type.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcFacilityPartCommonTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.8 Predefined Type: SEGMENT

Full Identifier: **IfcFacilityPartCommonTypeEnum.SEGMENT**

A longitudinal facility part encompassing a linear portion of the facility defined by some uniform characteristics, or a transition between segments of uniform characteristics.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcFacilityPartCommonTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.9 Predefined Type: ABOVEWATERLINE

Full Identifier: **IfcMarinePartTypeEnum.ABOVEWATERLINE**

A vertical spatial part that represents the part above the mean waterline defined within the site area.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.10 Predefined Type: ANCHORAGE

Full Identifier: **IfcMarinePartTypeEnum.ANCHORAGE**

A region spatial part that represents a managed area for the anchorage of vessels awaiting space and conditions to enter a port.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.11 Predefined Type: APPROACHCHANNEL

Full Identifier: **IfcMarinePartTypeEnum.APPROACHCHANNEL**

A longitudinal spatial part of a waterway or port facility that covers the approach of the primary facility.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.12 Predefined Type: **BELOWWATERLINE**

Full Identifier: **IfcMarinePartTypeEnum.BELOWWATERLINE**

A vertical spatial part that represents the part below the mean waterline defined within the site area.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.13 Predefined Type: **BERTHINGSTRUCTURE**

Full Identifier: **IfcMarinePartTypeEnum.BERTHINGSTRUCTURE**

A longitudinal spatial part of a waterway or port facility that provides facilities for the berthing of vessels while waiting for the waterway facility to become available. For example waiting for lock cycle to complete and the lock gates to open.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.14 Predefined Type: CHAMBER

Full Identifier: **IfcMarinePartTypeEnum.CHAMBER**

A longitudinal spatial part of a waterway or port facility that forms the impounded chamber of a facility, such as a ship lock, dry dock or hydrolift

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.15 Predefined Type: CILL_LEVEL

Full Identifier: **IfcMarinePartTypeEnum.CILL_LEVEL**

A vertical spatial part that represents the elevation of the cill and floor level of an impounded facility such as a ship lock or dry lock.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.16 Predefined Type: COPELEVEL

Full Identifier: **IfcMarinePartTypeEnum.COPELEVEL**

A vertical spatial part that represents the elevation working surface of the quay for the placement of quay furniture and plant.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.17 Predefined Type: CORE

Full Identifier: **IfcMarinePartTypeEnum.CORE**

A lateral spatial part that sub divides the core structure of a facility such as a breakwater or embankment

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.18 Predefined Type: CREST

Full Identifier: **IfcMarinePartTypeEnum.CREST**

A lateral spatial part that forms the crest area of breakwater or embankment where additional structures are placed such as access items or roads.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.19 Predefined Type: GATEHEAD

Full Identifier: **IfcMarinePartTypeEnum.GATEHEAD**

A longitudinal spatial part of a waterway or port facility that forms the gate, supporting structure & plant of an impounded facility such as a ship lock, dry dock or hydrolift.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.20 Predefined Type: GUIDINGSTRUCTURE

Full Identifier: **IfcMarinePartTypeEnum.GUDINGSTRUCTURE**

A longitudinal spatial part of a waterway or port facility that forms the guiding and assistive structures at the entrance to an impounded facility.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.21 Predefined Type: HIGHWATERLINE

Full Identifier: **IfcMarinePartTypeEnum.HIGHWATERLINE**

A vertical spatial part that represents the elevation of the high waterline, multiple high waterlines can be used to represent the different high tide types.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		

1.2.5.22 Predefined Type: LANDFIELD

Full Identifier: **IfcMarinePartTypeEnum.LANDFIELD**

A region or lateral facility part that covers the land field of a waterside facility such as a quay.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.23 Predefined Type: LEEWARDSIDE

Full Identifier: **IfcMarinePartTypeEnum.LEEWARDSIDE**

A lateral spatial part that covers the side of protective structures that do not experience weather or wave effects.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.24 Predefined Type: LOWWATERLINE

Full Identifier: **IfcMarinePartTypeEnum.LOWWATERLINE**

A vertical spatial part that represents the elevation of the low waterline, multiple low waterlines can be used to represent the different low tide types.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		

1.2.5.25 Predefined Type: MANUFACTURING

Full Identifier: **IfcMarinePartTypeEnum.MANUFACTURING**

A region spatial part that forms an sub division of a facility for the purpose of manufacturing activities.this covers areas that are open air and do not constitute a building or the building is only a small part of the entire area (in this case a child of type building can be used).

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.26 Predefined Type: NAVIGATIONALAREA

Full Identifier: **IfcMarinePartTypeEnum.NAVIGATIONALAREA**

A region spatial part that covers a managed navigational area that is maintained for an operational reason, this could be a dredged turning circle or waiting area.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.27 Predefined Type: PROTECTION

Full Identifier: **IfcMarinePartTypeEnum.PROTECTION**

A lateral or region spatial part that forms the area which contains protective measures for scour and erosion of a facility.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.28 Predefined Type: SHIPTRANSFER

Full Identifier: **IfcMarinePartTypeEnum.SHIPTRANSFER**

A region spatial part that represents forms a clear area used for the transfer and movement of vessels this area could include complex rail tracks and additional loading requirements.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.29 Predefined Type: STORAGE

Full Identifier: **IfcMarinePartTypeEnum.STORAGE**

A region spatial part that forms an sub division of a facility for the purpose of storing cargo. for example container stacks, dry bulk storage yards, material storage yards.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.30 Predefined Type: VEHICLESERVICING

Full Identifier: **IfcMarinePartTypeEnum.VEHICLESERVICING**

A region spatial part that represents a functional division designed for the maintenance and/or storage of vehicles used for facility operations.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.31 Predefined Type: WATERFIELD

Full Identifier: **IfcMarinePartTypeEnum.WATERFIELD**

A region or lateral facility part that covers the water field of a waterside facility such as a quay.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.5.32 Predefined Type: WEATHERSIDE

Full Identifier: **IfcMarinePartTypeEnum.WEATHERSIDE**

A lateral spatial part that covers the side of protective structures that is designed to protect and be impacted by weather or wave effects. such as the outer side of breakwaters or the riverside of flood embankments.

Status: **Proposed**

Package: **Facility Parts**

Predefined Type Properties			
Predefined Type Container	IfcMarinePartTypeEnum	Parent Entity	IfcFacilityPart
Stereotype	«PredefinedType»		
Property sets			

1.2.6 Package: Facilities

Facilities represent the discrete units of a ports and waterways complex/network. Facilities are also used to represent the top level complexes within ports and waterways. these facilities have a high level functional requirement within the wider context of the project.




Figure 17: Marine Facilities - Inheritance structure & subtyping

1.2.6.1 PDT Container: IfcMarineFacilityTypeEnum

The predefined type container that collects all possible marine facility types together into the implemented enumeration.

Status: **Proposed**

Package: **Facilities**

Container Properties			
Parent Entity	IfcMarineFacility	Stereotype	«PTContainer»

PROPOSED	
Contains	IfcMarineFacilityTypeEnum.QUAY
	IfcMarineFacilityTypeEnum.JETTY
	IfcMarineFacilityTypeEnum.FLOATINGDOCK
	IfcMarineFacilityTypeEnum.SLIPWAY
	IfcMarineFacilityTypeEnum.PORT
	IfcMarineFacilityTypeEnum.WATERWAYSHIPLIFT
	IfcMarineFacilityTypeEnum.SHIPLIFT
	IfcMarineFacilityTypeEnum.NAVIGATIONALCHANNEL
	IfcMarineFacilityTypeEnum.SHIPLOCK
	IfcMarineFacilityTypeEnum.MARINEDEFENCE
	IfcMarineFacilityTypeEnum.BARRIERBEACH
	IfcMarineFacilityTypeEnum.BREAKWATER
	IfcMarineFacilityTypeEnum.EMBANKMENT
	IfcMarineFacilityTypeEnum.LAUNCHRECOVERY
	IfcMarineFacilityTypeEnum.DRYDOCK
	IfcMarineFacilityTypeEnum.HYDROLIFT
	IfcMarineFacilityTypeEnum.CANAL
	IfcMarineFacilityTypeEnum.WATERWAY
	IfcMarineFacilityTypeEnum.SHIPYARD

1.2.6.2 Predefined Type: **BARRIERBEACH**

Full Identifier: **IfcMarineFacilityTypeEnum.BARRIERBEACH**

a sand ridge that rises slightly above the surface of the sea and runs roughly parallel to the shore, from which it is separated by a lagoon.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.3 Predefined Type: **BREAKWATER**

Full Identifier: **IfcMarineFacilityTypeEnum.BREAKWATER**

A longitudinal structure that protects a shore area, harbour, basin or estuary from waves.

NOTE Definition in ISO 21650: structure protecting a shore area, harbour, anchorage and/or basin from waves

NOTE Definition in ISO 6707: long structure in a body of water designed to protect a basin or the shore from waves

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.4 Predefined Type: CANAL

Full Identifier: **IfcMarineFacilityTypeEnum.CANAL**

A man-made watercourse constructed usually, to join rivers, lakes or seas and often of a size suitable for navigation.

NOTE definition in ISO 6707: channel constructed to carry water, usually for navigation, but which can also be used for water power, irrigation, collecting rainwater run-off , or drainage of surface water.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.5 Predefined Type: DRYDOCK

Full Identifier: **IfcMarineFacilityTypeEnum.DRYDOCK**

a Dry dock is an enclosed chamber (by gate) that allows the draining of water for the construction or repair of marine vessels.

NOTE definition in ISO 6707: dock with gates from which water can be drained or pumped, leaving it dry to enable a vessel to be built or repaired

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.6 Predefined Type: EMBANKMENT

Full Identifier: **IfcMarineFacilityTypeEnum.EMBANKMENT**

A marine defensive structure made from earthworks activities this spatial element groups together other items connected to the earthworks element.

NOTE definition IS 6707: section of earthworks, often formed by cut or fill, where the finished ground level is above or below original ground level and whose length usually greatly exceeds its width.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
	«PredefinedType»		
Property sets			

1.2.6.7 Predefined Type: FLOATINGDOCK

Full Identifier: **IfcMarineFacilityTypeEnum.FLOATINGDOCK**

A spatial element that encompasses a floating dry dock and supporting quay side ancillaries.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
	«PredefinedType»		
Stereotype			
Property sets			

1.2.6.8 Predefined Type: HYDROLIFT

Full Identifier: **IfcMarineFacilityTypeEnum.HYDROLIFT**

A type of vessel launch & recovery facility, also known as a hydraulic lift dock, where ships are lifted vertically by water impounding systems, then floated laterally across the land to berths which subsequently become dry.

Status: **Proposed**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.9 Predefined Type: JETTY

Full Identifier: IfcMarineFacilityTypeEnum.JETTY

A berthing structure, that extends out into the sea usually perpendicular to the coastline, primarily for the transfer of liquid bulk materials.

NOTE definition in ISO 21650: deck structure supported by vertical and possibly inclined piles extending into the sea, frequently in a direction normal to the coastline.

NOTE definition in ISO 28640: facility consisting of a trestle or similar structure, berthing facilities including fendering and topside equipment to enable the transfer of LNG between ship and shore.

Status: Proposed

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.10 Predefined Type: LAUNCHRECOVERY

Full Identifier: IfcMarineFacilityTypeEnum.LAUNCHRECOVERY

Subset of facilities for the function of launching or recovering vessels.

Status: Proposed

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		

1.2.6.11 Predefined Type: MARINEDEFENCE

Full Identifier: `IfcMarineFacilityTypeEnum.MARINEDEFENCE`

A subset of facilities with the primary function of protection or defence of a coastal or flood area.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.12 Predefined Type: NAVIGATIONALCHANNEL

Full Identifier: `IfcMarineFacilityTypeEnum.NAVIGATIONALCHANNEL`

A natural navigable watercourse (such as river) that needs to be managed or have improvements applied. this also include defined navigational areas in open seas and bays.

NOTE definition in ISO 6707: open passage for conveying or containing water

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.13 Predefined Type: PORT

Full Identifier: `IfcMarineFacilityTypeEnum.PORT`

A complex/facility for shipping and marine activities, this includes cargo, people and storage of vessels (marinas & harbours).

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.14 Predefined Type: QUAY

Full Identifier: **IfcMarineFacilityTypeEnum.QUAY**

a facility for the mooring of vessels accompanied with the loading and unloading of cargo or passengers or the maintenance of vessels.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.15 Predefined Type: SHIPLIFT

Full Identifier: **IfcMarineFacilityTypeEnum.SHIPLIFT**

A type of vessel launch & recovery facility, where ships are lifted vertically out of the water on platforms connected to winches, then transferred horizontally to land based berths on rail systems.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.16 Predefined Type: SHIPLOCK

Full Identifier: **IfcMarineFacilityTypeEnum.SHIPLOCK**

A facility used for raising and lowering boats, ships and other watercraft between stretches of water of different levels on river and canal waterways or between impounded basins. This is achieved via an impounded chamber of water which is filled and emptied.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.17 Predefined Type: SHIPYARD

Full Identifier: **IfcMarineFacilityTypeEnum.SHIPYARD**

A coastal/waterside facility where ships are built and repaired.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.18 Predefined Type: SLIPWAY

Full Identifier: **IfcMarineFacilityTypeEnum.SLIPWAY**

A facility for the dynamic launch or recovery of a vessel utilizing an inclined ramp and gravitational or mechanical hauling systems.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		

1.2.6.19 Predefined Type: WATERWAY

Full Identifier: **IfcMarineFacilityTypeEnum.WATERWAY**

A subset of facilities that have the primary function of providing a navigable area of water.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.6.20 Predefined Type: WATERWAYSHIPLIFT

Full Identifier: **IfcMarineFacilityTypeEnum.WATERWAYSHIPLIFT**

A facility used for raising and lowering boats, ships and other watercraft between stretches of water of different levels on river and canal waterways or between impounded basins. This is achieved via an impounded trough of water which is mechanically lifted up and down.

Status: **Proposed**

Package: **Facilities**

Predefined Type Properties			
Predefined Type Container	IfcMarineFacilityTypeEnum	Parent Entity	IfcMarineFacility
Stereotype	«PredefinedType»		
Property sets			

1.2.7 Package: Spatial Zones

this package contains concepts which represent spatial zones used to define non-hierarchical volumes within a project.




Figure 18: Spatial Zones - Inheritance structure & subtyping

1.2.7.1 Predefined Type: RESERVATION

Full Identifier: **IfcSpatialZoneTypeEnum.RESERVATION**

A spatial zone that marks some sort of reservation within the project extent.

Status: **Proposed**

Package: **Spatial zones**

Predefined Type Properties			
Predefined Type Container	IfcSpatialZoneTypeEnum	Parent Entity	IfcSpatialZoneType
Stereotype	«PredefinedType»		IfcSpatialZone
Property sets	Pset_RailwaySignallingReservation	Pset_RailwayReservation	
	Pset_RailwayTelecomReservation	Pset_RailwayEnergyReservation	

1.2.7.2 Virtual Entity: *PlantReservation*

A spatial zone reserved for the design and installation of plant equipment.

Entity Properties	
Realizing Parent	IfcSpatialZoneTypeEnum.RESERVATION
Notes	

1.2.7.3 Virtual Entity: *ProcessReservation*

A spatial zone reserved for the design and installation of facility process equipment such as pipelines or conveyor systems

Entity Properties	
Realizing Parent	IfcSpatialZoneTypeEnum.RESERVATION
Notes	

1.2.7.4 Virtual Entity: *TransferReservation*

A spatial zone reserved for the demarcation of a transfer area between modal types. this allows the informed design and installation of elements from multiple domains and teams.

Entity Properties	
Realizing Parent	IfcSpatialZoneTypeEnum.RESERVATION
Notes	

1.3 Package: Built Systems

This package contains concepts that represent built systems within a facility or project in the ports and waterways domain. Built systems are functional groupings within the facility that form groupings such as structural systems, building/facility fabrics, finishing fabrics or restraint systems.




Figure 19: Built Systems - Modifications and extensions to built systems

1.3.1 Class: IfcSystem

A system is an organized combination of related parts within an AEC product, composed for a common purpose or function or to provide a service. A system is essentially a functionally related aggregation of products. The grouping relationship to one or several instances of `_IfcProduct_` (the system members) is handled by `IfcRelAssignsToGroup`.

> NOTE The use of `_IfcSystem_` often applies to the representation of building services related systems, such as the piping system, cold water system, etc. Members within such a system may or may not be connected using the connectivity related entities (through `IfcDistributionPort`).

> HISTORY New entity in IFC1.0

Class Properties			
Status	ProposedModification	Is Abstract	
Property sets			
Inheritance Statement			
Subtype Of	IfcGroup		
Subtypes	EXISTING		PROPOSED
	IfcZone	IfcBuiltSystem	

1.3.2 Class: IfcBuiltSystem

A built system is a group by which built elements are grouped according to a common function within the facility.

The group [IfcBuiltSystem](#) defines the occurrence of a specialized system for use within the context of a facilities physical or finishing fabric. Important functionalities for the description of a built system are derived from supertypes:

- From [IfcSystem](#) it inherits the ability to couple the built system via [IfcRelReferencedInSpatialStructure](#) to one or more [IfcSpatialElement](#) subtypes as necessary.
- From [IfcGroup](#) it inherits the inverse attribute IsGroupedBy, pointing to the relationship class [IfcRelAssignsToGroup](#). This allows the grouping of built elements (instances of [IfcBuiltElement](#) subtypes, [IfcFurnishingElement](#) subtypes, [IfcElementAssembly](#) and [IfcTransportElement](#)).
- From [IfcObjectDefinition](#) it inherits the inverse attribute IsDecomposedBy pointing to the relationship class [IfcRelAggregates](#). It provides the hierarchy between the separate (partial) building systems.

Class Properties			
Status	Proposed	Is Abstract	
Property sets			
Inheritance Statement			
Subtype Of	IfcSystem		

Subtypes	EXISTING	PROPOSED

Class Attributes

Name	Type	Multipl	Definition
LongName	IfcLabel	[0..1]	Long name for a built system, used for informal purposes. It should be used, if available, in conjunction with the inherited Name attribute. NOTE In many scenarios the Name attribute refers to the short name or number of a built system, and the LongName refers to a descriptive name.
PredefinedType	IfcBuiltSystemTypeEnum	[0..1]	Predefined types of built systems.

1.3.3 PDT Container: IfcBuiltSystemTypeEnum

This enumeration identifies different types of built systems.

Status: **Proposed**

Package: **Built Systems**

Container Properties			
Parent Entity	IfcBuiltSystem	Stereotype	«PTContainer»
Contains	EXISTING	PROPOSED	
		IfcBuiltSystemTypeEnum.MOORING IfcBuiltSystemTypeEnum.MOORINGSYSTEM IfcBuiltSystemTypeEnum.TRACKCIRCUIT IfcBuildingSystemTypeEnum.EROSIONPREVENTION IfcBuiltSystemTypeEnum.LOADBEARING IfcBuiltSystemTypeEnum.OUTERSHELL IfcBuiltSystemTypeEnum.FOUNDATION IfcBuiltSystemTypeEnum.TRANSPORT IfcBuiltSystemTypeEnum.FENESTRATION IfcBuiltSystemTypeEnum.SHADING IfcBuiltSystemTypeEnum.REINFORCING IfcBuiltSystemTypeEnum.PRESTRESSING	

1.3.4 Predefined Type: MOORING

Full Identifier: **IfcBuiltSystemTypeEnum.MOORING**

System of components and elements responsible for keeping or holding an element (a vessel, platform or set of catenary lines) in a desired position.

Status: **Proposed**

Package: **Built Systems**

Predefined Type Properties			
Predefined Type Container	IfcBuiltSystemTypeEnum	Parent Entity	IfcBuiltSystem
Stereotype	«PredefinedType»		
Property sets			